RAVAP EC

Version 5.0 Revision Date 09/07/2017



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Product Name: RAVAP EC SDS Number: 122000008512

Use : Restricted Use Pesticide

Company

Bayer HealthCare, LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 UNITED STATES OF AMERICA (800) 633-3796

In case of emergency: (800) 422-9874

Chemtrec: (800) 424-9300

BAYER INFORMATION PHONE: (800) 633-3796

INTERNATIONAL: (703) 527-3887

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to national GHS implementation:

Flammable liquids, Category 4 (H227) Acute toxicity, Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Eye irritation, Category 2A (H319)

Specific target organ toxicity - repeated exposure, Category 2 (H373)

Label elements

Labelling according to national GHS implementation:





Warning

Hazard statements:

H227 Combustible liquid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

Prevention:

RAVAP EC

Version 5.0

Revision Date 09/07/2017



P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Hazardous components which must be listed on the label:

Components:CAS-No.Tetrachlorvinphos22248-79-9Phenol108-95-2dichlorvos (ISO)62-73-7

Other hazards

Other hazards which do not result in classification:

The material can accumulate static charge and can therefore cause electrical ignition.

May cause allergic skin reaction. Causes skin burns.

Corrosive - causes irreversible eye damage.

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

Suspected of causing genetic defects.

DANGER!

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Hazardous components

Tetrachlorvinphos

Concentration [Weight percent] 23

CAS-No.: 22248-79-9

CAS name: Phosphoric acid, (1Z)-2-chloro-1-(2,4,5-trichlorophenyl)ethenyl dimethyl ester

GHS Classification:

 $\langle \rangle$

Acute Tox. 4 H302

M-Factor: 100

Phenol

Concentration [Weight percent] 14

CAS-No.: 108-95-2 CAS name: Phenol

RAVAP EC

Version 5.0 Revision Date 09/07/2017







Skin Corr. 1A H314 Eye Dam. 1 H318 STOT RE 2 H373

dichlorvos (ISO)

Concentration [Weight percent] 5.3

CAS-No.: 62-73-7

CAS name: Phosphoric acid, 2,2-dichloroethenyl dimethyl ester

GHS Classification:



Acute Tox. 2 H300 Acute Tox. 1 H330 Acute Tox. 2 H310

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Description of first aid measures

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Most important acute symptoms/effects

Symptoms: No information available.

Risks: No information available.

Indication of any immediate medical attention and special treatment needed

No information available.

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

Special hazards arising from the substance or mixture

Specific hazards during firefighting: Fire may cause evolution of: Carbon monoxide (CO) Carbon dioxide (CO2)

RAVAP EC

Version 5.0 Revision Date 09/07/2017



Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Environmental precautions

Methods and materials for containment and cleaning up

Methods for cleaning up: Cover spilled product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labeled, closable containers.

Reference to other sections

Additional advice: Keep away from/remove sources of ignition.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Specific end use(s)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Phenol	108-95-2	TWA	5 ppm	ACGIH
		TWA	5 ppm 19 mg/m3	NIOSH REL
		С	15.6 ppm 60 mg/m3	NIOSH REL
		TWA	5 ppm 19 mg/m3	OSHA Z-1

RAVAP EC

122000008512 Version 5.0 Print Date 09/07/2017 Revision Date 09/07/2017

		TWA	5 ppm 19 mg/m3	OSHA P0
dichlorvos	62-73-7	TWA (Inhalable fraction and vapor)	0.1 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z-1
		TWA	1 mg/m3	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
Tetrachlorvinphos	22248-79-9

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
Phenol	108-95-2	Phenol	Urine	End of	250 mg/g	ACGIH
				shift (As	Creatinine	BEI
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Personal protective equipment

Respiratory protection Recommended Filter type:

Organic vapor with prefilter

None required for consumer use of this product.

Hand protection

Material : Hand protection: protective gloves for chemicals made of

Material butyl-rubber

Material Neoprene

PVC Material

Remarks : Breakthrough time not tested; dispose of immediately after

contamination. Advice: The gloves should not be reused.

Eye protection Safety glasses

None required for consumer use of this product.

Protective measures : Wear suitable protective equipment.

Please consult label for end-user requirements.

RAVAP EC

Version 5.0 Revision Date 09/07/2017



OECD 123

Revision Date 09/07/2017

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form: liquid
Colour: clear
Odour: aromatic
Melting point/range: > 350 °F

Boiling point/boiling range: No statements available.

Density: 1.055 g/cm³
Bulk density: Not applicable

No statements available. Vapour pressure: Viscosity, dynamic: No statements available. Viscosity, kinematic: No statements available. Flow time: No statements available. Surface tension: No statements available. Water solubility: No statements available. Solubility(ies): No statements available. pH: No statements available. Corrosive to metal: No statements available.

Partition coefficient Tetrachlorvinphos (n-octanol/water): log Pow: 3.53

Phenol

log Pow: 1.46 dichlorvos (ISO)

Pow: 1.9

Flash point: 67.8 °C ASTM D 93

Inflammability (solid, gaseous): Not applicable

Explosion limits: Phenol

upper: 9.5 %(V) lower: 1.3 %(V)

Other information

Miscibility with water: No statements available.

10. STABILITY AND REACTIVITY

Reactivity

No statements available.

Reactions with water / air:

No statements available.

Ignition temperature:

Phenol

595 °C at 1,013 hPa

Burning number:

No statements available.

RAVAP EC

Version 5.0 Revision Date 09/07/2017



Chemical stability

No statements available.

Thermal decomposition:

No data available

Dust explosion characteristic number:

Not applicable

Dust explosion class:

Not applicable

Impact sensitivity:

No data available

Hazardous reactions:

No data available

Explosive properties:

No statements available.

Possibility of hazardous reactions

deflagration ability:

No statements available.

Smoldering combustion:

No statements available.

Conditions to avoid

No data available

Minimum ignition energy:

No data available

Oxidizing properties:

No statements available.

Incompatible materials

Materials to avoid:

Oxidizing agents

Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO2)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): 500 mg/kg

Acute inhalation toxicity : LC50: 2.16 mg/l

Exposure time: 4 h

RAVAP EC

122000008512 Version 5.0 Revision Date 09/07/2017 Print Date 09/07/2017

Test atmosphere: dust/mist/aerosol

Assessment: No adverse effect has been observed in acute

toxicity tests.

Remarks: Under the conditions of the test no mortality caused.

: LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Components:

Tetrachlorvinphos:

Acute oral toxicity : LD50 (Rat): 480 mg/kg

Assessment: The component/mixture is toxic after single

ingestion.

Acute dermal toxicity : LD50 (Rabbit): > 2,500 mg/kg

Assessment: The component/mixture is minimally toxic after

single contact with skin.

Phenol:

Acute toxicity (other routes of : LD0 (Rat): 650 mg/kg

administration)

Application Route: subcutaneous

LD50 (Mouse): 112 mg/kg Application Route: intravenous

LD0 (Cat): 50 mg/kg

Application Route: intravenous

LD0 (Rabbit): 180 mg/kg Application Route: intravenous

LD0 (Rabbit): 620 mg/kg

Application Route: intraperitoneal

dichlorvos:

: LD50 (Rat): 50 mg/kg Acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 0.015 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist/aerosol

: LD50 (Rat): 107 mg/kg Acute dermal toxicity

Skin corrosion/irritation

Product:

Result: Skin irritation

Components:

Phenol:

RAVAP EC

Version 5.0 Revision Date 09/07/2017

122000008512 Print Date 09/07/2017

Species: Rabbit

Result: Causes severe burns.

dichlorvos:

Species: Rabbit

Result: May irritate skin.

Serious eye damage/eye irritation

Product:

Result: Eye irritation

Components:

Phenol:

Species: Rabbit

Result: Risk of serious damage to eyes.

dichlorvos:

Species: Rabbit

Result: May irritate eyes.

Respiratory or skin sensitisation

Product:

Remarks: May cause sensitisation of susceptible persons.

Components:

Tetrachlorvinphos:

Assessment: Harmful if swallowed., May be harmful in contact with skin.

Phenol:

Species: Guinea pig

Result: Does not cause skin sensitisation.

dichlorvos:

Result: May cause an allergic skin reaction.

Germ cell mutagenicity

Components:

Phenol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: positive

Germ cell mutagenicity -

Assessment

: Suspected of causing genetic defects.

RAVAP EC

Version 5.0 Revision Date 09/07/2017



Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

STOT - repeated exposure

Components:

Phenol:

Assessment: May cause damage to organs through prolonged or repeated exposure.

Components:

Tetrachlorvinphos:

Assessment

Repeated dose toxicity - : Harmful if swallowed., May be harmful in contact with skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Tetrachlorvinphos:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.5 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.002 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic

toxicity)

: 100

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Phenol:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 36 - 68 mg/l

Exposure time: 96 h

Page 10 of 14

RAVAP EC

Version 5.0 Revision Date 09/07/2017



aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 56 mg/l

Exposure time: 48 h

dichlorvos:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 200 μg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): 450 µg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : LC50 (Daphnia (water flea)): 0,19 μg/l

Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Persistence and degradability

Components:

Phenol:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 85 % Exposure time: 14 d Method: OECD 301 C

Result: rapidly biodegradable Biodegradation: 100 % Exposure time: 6 d Method: OECD 302B

Bioaccumulative potential

Components:

Tetrachlorvinphos:

Partition coefficient: n-

octanol/water

: log Pow: 3.53

Phenol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: 1.46

dichlorvos:

Partition coefficient: n-

: Pow: 1.9

octanol/water

Method: OECD 123

RAVAP EC

Version 5.0 Revision Date 09/07/2017

122000008512 Print Date 09/07/2017

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

information

: Do not allow to enter surface waters or groundwater.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If discarded in its purchased form, this product would not be a

hazardous waste either by listing or by characteristic.

However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

14. TRANSPORT INFORMATION

Please note that limited quantities, consumer commodity regulations or other exemptions may apply.

Land transport (CFR)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9
UN/NA Number 3082
Packaging group III
Hazard Label(s): Class 9

Marine pollutant: Marine pollutant

Sea transport (IMDG)

UN Number 3082

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DICHLORVOS)

Class9Packaging groupIIIIMDG-Labels9EmS NumberF-AMarine pollutantyes

Air transport (IATA)


UN Number 308

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DICHLORVOS)





Class 9
Packaging group III
Dangerous goods labels 9
Environmentally hazardous yes

15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Phenol	108-95-2	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Phenol	108-95-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 :

Phenol 108-95-2 14 %

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Phenol 108-95-2 14 %

US State Regulations

Massachusetts Right To Know

Phenol 108-95-2

Pennsylvania Right To Know

Phenol 108-95-2

New York City Hazardous Substances

Phenol 108-95-2

California Prop. 65 , which is/are known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

Tetrachlorvinphos 22248-79-9

California List of Hazardous Substances

Phenol 108-95-2

RAVAP EC

Version 5.0 Revision Date 09/07/2017



California Permissible Exposure Limits for Chemical Contaminants

Phenol 108-95-2

The components of this product are reported in the following inventories:

TSCA Not On TSCA Inventory

Tetrachlorvinphos

dichlorvos

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

16. OTHER INFORMATION

Full text of H-Statements mentioned in chapters 2 and 3

H227	Combustible liquid.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.